



A COMPANY OF



Tested By: ROGER DAHL

SharePoint test ID: 25914A

AP Code: 39Y9

Requestor: Frank Pai

Test Date: 9/25/2020

Reviewed by: ROGER DAHL

Product Model Number: RUL-B

Product Description: RUL-B-5L - SMALL

Modifications: OPTIC ONLY

Test Set Up: UNIT WAS MOUNTED TO A TURN TABLE AND ROTATED 360° DURING TEST.
UNIT WAS MOUNTED AS INTENDED AND HUNG INSIDE DUST CHAMBER

Driver Manufacturer: EXCELLENT Quantity: 1 Driver Catalog #: LBS40W-36-C1100-RD

Applicable Specifications: N/A - FOR REFERENCE ONLY

Test Results: (Based on Applicable Compliance Specification acceptance criteria.)**Dust Test IP6X:** ☒ Pass ☐ Fail ☐ NA Test Performed By: ROGER DAHL

Screw or Cord Gland Location	Screw Diameter or Cord Gland ID	Number of Screws	Torque Applied

Start Date: 10/6/20 Start Time: 14:00 Operational Test Duration: 18 hours 30 minutes

Chamber Start Date: 10/7/20 Start Time: 8:30 Chamber Test Duration: 3 HOURS 5 MINUTES

Hypot Test Voltage: N/A kV Hypot Test Value: mA Hypot test Duration: sec

Input Voltage: 120 Volts Comments: PASS, NO TALCUM DEPOSITS WERE FOUND INSIDE THE OPTIC.

Humidity: %

Air Temp: °C

Pressure: mbar

Equipment ID #: 3213

Cal. Due Dates: N/A

Equipment ID #:

Cal. Due Dates:

Wet Test IPX6: ☒ Pass ☐ Fail ☐ NA Test Performed By: ROGER DAHL

Screw or Cord Gland Location	Screw Diameter or Cord Gland ID	Number of Screws	Torque Applied

Start Date: 9/24/20 Start Time: 17:00 Operational Test Duration: 16 HOURS

Product Tested Date: 9/25/20 Start Time: 9:00 Test Duration: 3 MINUTES

Hypot Test Voltage: N/A kV Hypot Test Value: mA Hypot test Duration: sec

Input Voltage: 120 Volts Comments: NO WATER ENTRY INTO OPTIC

Water Temp: °C

Humidity: %

Air Temp: °C

Pressure: mbar

Equipment ID #: 8399

Cal. Due Dates: 3/11/21

Equipment ID #:

Cal. Due Dates:

Tested By: ROGER DAHL

SharePoint test ID: 25914A

AP Code: 39Y9

Requestor: Frank Pai

Test Date: 9/25/2020

Reviewed by: ROGER DAHL

Product Model Number: RUL-B





A COMPANY OF



Tested By: ROGER DAHL

SharePoint test ID: 25914B

AP Code: 39Y9

Requestor: Frank Pai

Test Date: 9/25/2020

Reviewed by: ROGER DAHL

Product Model Number: RUL-B

Product Description: RUL-B-7L - MEDIUM

Modifications: OPTIC ONLY

Test Set Up: UNIT WAS MOUNTED TO A TURN TABLE AND ROTATED 360° DURING TEST.
UNIT WAS MOUNTED AS INTENDED AND HUNG INSIDE DUST CHAMBER

Driver Manufacturer: EXCELLENT Quantity: 1 Driver Catalog #: LBS60W-48-C1250-RD

Applicable Specifications: N/A - FOR REFERENCE ONLY

Test Results: (Based on Applicable Compliance Specification acceptance criteria.)**Dust Test IP6X:** ☒ Pass ☐ Fail ☐ NA Test Performed By: ROGER DAHL

Screw or Cord Gland Location	Screw Diameter or Cord Gland ID	Number of Screws	Torque Applied

Start Date: 10/6/20 Start Time: 14:00 Operational Test Duration: 18 hours 30 minutes

Chamber Start Date: 10/7/20 Start Time: 8:30 Chamber Test Duration: 3 HOURS 5 MINUTES

Hypot Test Voltage: N/A kV Hypot Test Value: mA Hypot test Duration: sec

Input Voltage: 120 Volts Comments: PASS, NO TALCUM DEPOSITS WERE FOUND INSIDE THE OPTIC.

Humidity: %

Air Temp: °C

Pressure: mbar

Equipment ID #: 3213

Cal. Due Dates: N/A

Equipment ID #:

Cal. Due Dates:

Wet Test IPX6: ☒ Pass ☐ Fail ☐ NA Test Performed By: ROGER DAHL

Screw or Cord Gland Location	Screw Diameter or Cord Gland ID	Number of Screws	Torque Applied

Start Date: 9/24/20 Start Time: 17:00 Operational Test Duration: 16 HOURS 20 MINUTES

Product Tested Date: 9/25/20 Start Time: 9:20 Test Duration: 3 MINUTES

Hypot Test Voltage: N/A kV Hypot Test Value: mA Hypot test Duration: sec

Input Voltage: 120 Volts Comments: NO WATER ENTRY INTO OPTIC

Water Temp: °C

Humidity: %

Air Temp: °C

Pressure: mbar

Equipment ID #: 8399

Cal. Due Dates: 3/11/21

Equipment ID #:

Cal. Due Dates:

Tested By: ROGER DAHL

SharePoint test ID: 25914B

AP Code: 39Y9

Requestor: Frank Pai

Test Date: 9/25/2020

Reviewed by: ROGER DAHL

Product Model Number: RUL-B

